



Prices effective July 1, 2024

Published September 2024

Motia® Sit-to-Stand Tables

10-Day or Less

| | |
|---|---------------|
| Introduction | page 2 |
| Motia® Sit-to-Stand Tables 10-Day or Less | 3 |
| Adjustable-Height Table | 5 |
| Accessories | 9 |
| Appendices | |
| 10-Day or Less Order Information | |
| For the latest materials information, refer to the Materials pages on HermanMiller.com. | |

Introduction

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table.

The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective July 1, 2024, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.

All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

For additional product information such as dimensional drawings and product descriptions, refer to the standard price books.


Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

Motia® Sit-to-Stand Tables 10-Day or Less

Adjustable Height Table

Accessories

Rectangular Table with T-Foot DV6ATS



Specification Information

Step 1.

DV6AT

Step 2. Edge

S. squared-edge

Step 3. Depth

30 30" deep (29" surface size)

Step 4. Width

For 30" deep (29" surface size) (30)

60 60" wide (58" surface size)

72 72" wide (70" surface size)

Step 5. Surface Material

For squared-edge (S.)

L high-pressure laminate top/thermoplastic edge

M thermally-fused laminate top/thermoplastic edge

Step 6. Top Thickness

04 1 1/4" thick

Step 7. Mechanism

E electric standard range

Step 8. Leg Location

1 legs outbound (no surface mounted storage)

Prices for Steps 1-8.

| | L04E1 | M04E1 |
|----------------------|--------------|--------------|
| DV6ATS. 30 60 | \$2960 | 2828 |
| 72 | \$3168 | 3028 |

Step 9. Switch Option

STS simple up/down touch switch +\$0

Step 10. Top Finish

For high-pressure laminate top/thermoplastic edge (L)

125 natural maple (CP) +\$0

126 natural cherry (CP) +\$0

127 walnut (CP) +\$0

139 light ash (CP) +\$0

140 warm ash (CP) +\$0

LBA clear on ash (CP) +\$0

For thermally-fused laminate top/thermoplastic edge (M)

125 natural maple (CP) +\$0

126 natural cherry (CP) +\$0

127 walnut (CP) +\$0

139 light ash (CP) +\$0

140 warm ash (CP) +\$0

8Q folkstone grey (CP) +\$0

LBA clear on ash (CP) +\$0

Step 11. Edge Finish

125 natural maple (CP) +\$0

126 natural cherry (CP) +\$0

127 walnut (CP) +\$0

139 light ash (CP) +\$0

140 warm ash (CP) +\$0

G1 graphite (CP) +\$0

LBA clear on ash (CP) +\$0

Step 12. Base Finish

Metallic Paint

611 beige mist metallic (CP) +\$0

613 silver (CP) +\$0

SNA satin aluminum +\$30

SNB satin bronze +\$30

SNC satin carbon +\$30

Sand Texture Paint

UBK ultra black (CP) +\$0

G1 graphite (CP) +\$0

Step 13. Cable Trough

N no cable trough +\$0

Step 14. Power Access Cutout

NC no cutout +\$0

Motia® Adjustable Height Table


Rectangular Table with T-Foot

continued

Motia® Adjustable Height Table

| | | |
|-----------------|--------|------|
| Step 15. Glides | | |
| 57 | glides | +\$0 |

Motia® Vista™ Rectangular Table DV6GTS with T-Foot



Specification Information

Step 1.

DV6GT

Step 2. Edge

S. squared-edge

Step 3. Depth

30 30" deep (29" surface size)

Step 4. Width

60 60" wide (58" surface size)

72 72" wide (70" surface size)

Step 5. Surface Material

For squared-edge (S.)

- A** high-pressure laminate top/thermoplastic edge with MicrobeCare™
- C** high-pressure laminate top/universal edge with MicrobeCare™
- L** high-pressure laminate top/thermoplastic edge
- U** high-pressure laminate/universal edge
- J** thermally-fused laminate top/thermoplastic edge with MicrobeCare™
- K** thermally-fused laminate top/universal edge with MicrobeCare™
- M** thermally-fused laminate top/thermoplastic edge
- T** thermally-fused laminate top/universal edge
- W** veneer top/veneer edge

Step 6. Top Thickness

For squared-edge (S.) with high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), high-pressure laminate top/universal edge with MicrobeCare™ (C), high-pressure laminate top/thermoplastic edge (L), high-pressure laminate/universal edge (U), or veneer top/veneer edge (W)

04 1 1/4" thick

For squared-edge (S.) with thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/thermoplastic edge (M), or thermally-fused laminate top/universal edge (T)

04 1 1/4" thick

Motia® Vista™ Rectangular Table with T-Foot *continued*

Motia® Adjustable Height Table

| Step 7. Mechanism | |
|-------------------|-------------------------|
| E | electric standard range |

| Step 8. Leg Location | |
|--|--|
| <i>For 60" wide (58" surface size) (60) or 72" wide (70" surface size) (72) with electric standard range (E)</i> | |
| 1 | legs outbound (no surface mounted storage) |

| Prices for Steps 1-8. | | A04E1 | C04E1 | L04E1 | U04E1 | J04E1 | K04E1 |
|-----------------------|-----------|--------|--------|-------|-------|-------|-------|
| DV6GTS. 30 60 | | \$3269 | 3237 | 3219 | 3172 | 3172 | 3172 |
| | 72 | \$3471 | 3436 | 3422 | 3372 | 3366 | 3366 |
| | | M04E1 | T04E1 | W04E1 | | | |
| DV6GTS. 30 60 | | | \$3077 | 3077 | 3845 | | |
| | 72 | | \$3271 | 3271 | 4185 | | |

| Step 9. Switch Option | |
|-----------------------|------------------------------------|
| STS | simple up/down - touch switch +\$0 |

| Step 10. | |
|----------|--|
|----------|--|

| Top Finish | |
|--|--------------------------|
| <i>For high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), high-pressure laminate top/universal edge with MicrobeCare™ (C), high-pressure laminate top/thermoplastic edge (L), or high-pressure laminate/universal edge (U)</i> | |
| 125 | natural maple (CP) +\$0 |
| 126 | natural cherry (CP) +\$0 |
| 127 | walnut (CP) +\$0 |
| 139 | light ash (CP) +\$0 |
| 140 | warm ash (CP) +\$0 |
| LBA | clear on ash (CP) +\$0 |
| LBC | walnut on ash (CP) +\$0 |

| Top/Edge Finish | |
|---------------------------------------|-------------------------|
| <i>For veneer top/veneer edge (W)</i> | |
| CHD | noble cherry +\$85 |
| WHN | natural white oak +\$85 |

| Top Finish | |
|--|-------------------------------|
| <i>For thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), thermally-fused laminate top/universal edge with MicrobeCare™ (K), thermally-fused laminate top/thermoplastic edge (M), or thermally-fused laminate top/universal edge (T)</i> | |
| 125 | natural maple (CP) +\$0 |
| 126 | natural cherry (CP) +\$0 |
| 127 | walnut (CP) +\$0 |
| 139 | light ash (CP) +\$0 |
| 140 | warm ash (CP) +\$0 |
| 8Q | folkstone grey (CP) +\$0 |
| 91 | white (CP) +\$0 |
| 98 | studio white (CP) +\$0 |
| LBA | clear on ash (CP) +\$0 |
| LBB | oak on ash (CP) +\$0 |
| LBC | walnut on ash (CP) +\$0 |
| LBF | neutral twill +\$0 |
| LBQ | white twill +\$0 |
| LBU | medium matte walnut (CP) +\$0 |

| Step 11. Edge Finish | |
|--|--------------------------|
| <i>For high-pressure laminate top/thermoplastic edge with MicrobeCare™ (A), high-pressure laminate top/thermoplastic edge (L), thermally-fused laminate top/thermoplastic edge with MicrobeCare™ (J), or thermally-fused laminate top/thermoplastic edge (M)</i> | |
| 125 | natural maple (CP) +\$0 |
| 126 | natural cherry (CP) +\$0 |
| 127 | walnut (CP) +\$0 |
| 139 | light ash (CP) +\$0 |
| 140 | warm ash (CP) +\$0 |
| G1 | graphite (CP) +\$0 |
| LBA | clear on ash (CP) +\$0 |
| LBC | walnut on ash (CP) +\$0 |

| Step 12. Base Finish | |
|----------------------|-------------------------------|
| Metallic Paint | |
| 611 | beige mist metallic (CP) +\$0 |
| 613 | silver (CP) +\$0 |
| SNA | satin aluminum +\$30 |
| SNB | satin bronze +\$30 |
| SNC | satin carbon +\$30 |

| Sand Texture Paint | |
|--------------------|-----------------------|
| G1 | graphite (CP) +\$0 |
| UBK | ultra black (CP) +\$0 |


Motia® Vista™ Rectangular Table
with T-Foot *continued*

Motia® Adjustable Height Table

| | | |
|------------------------------|-------------------|------|
| Smooth Paint | | |
| 98 | studio white (CP) | +\$0 |
| Step 13. Cable Trough | | |
| N | no cable trough | +\$0 |
| Step 14. Power Access Cutout | | |
| NC | no cutout | +\$0 |
| Step 15. Glides | | |
| 57 | glides | +\$0 |

Stiffener

FV696.



Specification Information

Step 1.

FV696.

Step 2. Width

- 34** 33⁷/₈" wide
- 39** 38⁵/₈" wide
- 43** 43¹/₄" wide
- 48** 48" wide
- 57** 57³/₈" wide
- 62** 62¹/₈" wide
- 67** 66³/₄" wide
- 71** 71¹/₂" wide
- 81** 80⁷/₈" wide

Prices for Steps 1-2.

| | |
|------------------|-------|
| FV696. 34 | \$101 |
| 39 | \$103 |
| 43 | \$103 |
| 48 | \$103 |
| 57 | \$103 |
| 62 | \$103 |
| 67 | \$103 |
| 71 | \$103 |
| 81 | \$103 |

10-Day or Less Order Information

10-Day or Less Program

10-day or less products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple West Michigan manufacturing facilities. These include Holland, Spring Lake, and Zeeland. Orders will be shipped within 10 business days or less from the date of Herman Miller acknowledgement.

Ordering Procedures

1. Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.
Order Entry fax number for Meridian® Filing and Storage:
(616) 846 9236.
Order Entry fax number for all other products:
(616) 654 3085.
2. Orders must be clearly marked “10-day or less program” and include only 10-day or less products. Orders not marked this way will be processed under standard lead times. Orders for standard lead times must be placed on a separate purchase order.
3. Only fabrics and finishes listed with each product are available through the 10-day or less program.
4. For any 10-day or less project over \$250,000 list price, please contact your Customer Care representative within 48 hours of order entry to reserve lead time.
5. For more information, contact your Customer Care representative at: (866) 854 3048 ext 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

© 2024 Herman Miller, Inc., Zeeland, Michigan

Distribution Rights

Working together since 1956, Herman Miller and Vitra are the authentic sources of designs by Charles and Ray Eames, Alexander Girard, and George Nelson. All the designs shown in this book are protected by law. Herman Miller has obtained all rights to make and sell these designs. Also, Herman Miller holds exclusive worldwide manufacturing and distribution rights for these products with the following exceptions:

Charles and Ray Eames, George Nelson, and Alexander Girard—Worldwide distribution rights for furniture in all areas except Europe and the Middle East. For those areas, please contact Vitra.

Isamu Noguchi—Worldwide distribution rights for the Noguchi Rudder Table. Distribution rights for the Noguchi Table in North America and Central America only. For all other areas, please contact Vitra.

Magis—Exclusive distribution rights in the US and Canada. For all other areas, please contact Magis.

© **HermanMiller**, 3D Intelligent, 8Z Pellicle, AO, Action Office, Aeron, Aside, Bubble Lamps, Canvas Office Landscape, Caper, Celle, Cosm, Co/Struc, Daisyone, Distil, Eames, Eco-Dematerialized, Embody, Envelop, Ethospace, Exclave, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Intent, Kinemat, Layout Studio, Lino, Live Unframed, Living Office, Maharam, Meridian, Mirra, Motia, Nelson, Pari, Pellicle, Perspectives, Plex, PostureFit, PostureFit SL, Public Office Landscape, Sayl, Setu, Striad, Tu, Ubi, Verus, Wishbone, Y-Tower and Zeph are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

™ About Face, AireWeave, Airia, Ambit, Asari Chair by HermanMiller, Backfit, Bublelactack, Burdick Group, Butterfly Back, Canvas Vista, Cellular Suspension, Commend, Compass, Connect, DOT, Duracare, Durawrap, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Headway, Herman Miller Select, Hopsak 2, Iota, Keyless Entry, Latitude, Logic Mini, Logic Power Access Solutions, Lyris, Lyris 2, Made-to-Measure Storage, Mora, Multiscrim, Nevi, OE1, OE1 Workspace Collection, Overlay, Pixelated Support, Pronta, Renew, Sense, Soft Pad, Stackable, Stackable Storage, Swoop, Thrive, Tone, TriFlex, Twist and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM Herman Miller Options is among the service marks of Herman Miller, Inc.

AAP™ is a trademark of Extron Electronics.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

Chemsurf® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E. I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Danzer® is a registered trademark of Danzer Holding AG.

Decora® is a registered trademark of Leviton Manufacturing Co., Inc.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

Extron® is a registered trademark of RGB Systems, Inc.

FENIX NTM® is a registered trademark of Arpa Industriale S.p.A.

FLEXNET™ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Forest Stewardship Council® is a registered trademark of the Forest Stewardship Council A.C. (FSC). We are FSC® certified (FSC® C102895).

FSC® is a registered trademark of the Forest Stewardship Council A.C. (FSC).

Geiger® is a registered trademark, and Bumper™, Saiba™, and Ward Bennett™ are trademarks, of Geiger International.

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo™ is a trademark of Cargill Dow LLC.

iPad® and Mac mini® are registered trademarks of Apple Inc.

Leviton® is a registered trademark of Leviton Manufacturing Co., Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Logitech G® is a registered trademark of Logitech International S.A.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis S.p.A.

MicrobeCare™ is a trademark of Parasol Medical LLC.

Microsoft® and Natural® Keyboard are registered trademarks of Microsoft Corporation.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

Sunbrella® is a registered trademark of Glen Raven, Inc.

SuperSeat™ is a trademark of Dahti Seating, a division of ITW.

Valor™ is among the trademarks owned by Nemschoff, Inc.